

Candia, Town
POOL PERMIT

Building & Inspection Department
74 High Street, Candia, NH 03034
603-483-1015
Inspections - Mon, Tues & Thurs afternoons

Permit Number
2012-167PL
Date of Issue
6/13/2024
Expiration Date
6/13/2025

Owner: TOMLIN, TYLER

Applicant: TOMLIN, TYLER

Location of Work: 45 MERRILL ROAD
(No. and Street) (Unit or Building)

Description of Work: INSTALL 18' ROUND ABOVE GROUND POOL

ZONING DATA: District: RES Map\Lot: 404-103

CONSTRUCTION DATA: Use Group: Min. Type Constr:
Design Occupant Load: Total Number of Dwelling Units: 0 Construction Area:
Building / Addition: Change in FootPrint: NO Irregular Size, See Plan: NO
Length: 0 FT. Width: 0 FT. Height: 0 FT. Number of Stories: 0.00

REMARKS:

POOL BARRIER REQUIREMENTS PER 2015 INTERNATIONAL RESIDENTIAL CODE APPENDIX G, SECTION AG 105.

A NON-CLIMBABLE POOL WALL OR FENCE IS REQUIRED FOR ALL ABOVE GROUND OR IN GROUND POOLS. THE WALL OR FENCE MUST BE AT LEAST 48" HIGH AT ALL AREAS ALONG ITS ENTIRE LENGTH. GATES SHALL BE LOCKABLE & OUTSWING. DECKS ATTACHED TO AN OCCUPIABLE BUILDING WITH THE POOL SHALL HAVE LOCKABLE DOORS AS WELL AS A PASSAGE ALARM.


SPA INSTALLED PER STATE OF NH POOL AND SPA CODE AND SEC 305 IRC.

A SEPERATE ELECTRIC PERMIT MUST BE OBTAINED BY A COMPETENT ELECTRICIAN PRIOR TO PERFORMING ANY ELECTRIC WORK.

Permit Holder: TOMLIN, TYLER
(Taking Responsibility for the Work)
Company/Affiliation: Owner **Job Site Phone Number:**

Constr Cost: \$0 **Permit Fee:** \$70.00 **Check No.:** **Cash:** \$70.00

The Permit Card Shall be Posted and Visible From the Street During Construction


Code Official **06-13-2024**
Date