

TOWN OF CANDIA

GAS PERMIT



The Permit Card Shall be Posted and Visible From the Street During Construction

Permit Number: 2024-288 **Date:** 09/03/2024
Map: 000405 **Lot:** 000026 **Sub Lot:** 000001

Permit issued to: BOND, TIMOTHY E. & LINDA M.
at: 406 HIGH ST

Owner Address: 13 LANTERN DRIVE SANDOWN, NH 03873 | Phone:
Applicant: ARCHITECTURAL FIREPLACES | Phone:
Contractor: ARCHITECTURAL FIREPLACES | Phone: | License #:
Permit Fee: \$110.00 | Estimated Cost: \$0

NOTE: GAS FIREPLACE AND VENTING, GAS PIPING DONE BY OTHERS

General:


- Refer to Candia Vol Fire Dept Gas appliance check list for installation requirements.
- Final inspections required when 100% complete and operational.
- Gas piping Per NFPA 54&58.
- Venting and combustion air Per Manufacture specs.

Electrical:

- All related 120V& 24 wiring per NFPA, 70. 2017.

Mechanical:

- All FHA duct work to conform to 2015 IMC.
- Insulation: R-6 Basement. R-8 Attic's and crawl spaces.
- Kitchens with exhaust fans over 400CFM require make up air.

Signed:  **Telephone:** (603) 483-1015
Building Inspector