



# TOWN OF CANDIA RES. BUILDING PERMIT

The Permit Card Shall be Posted and Visible From the Street During Construction

**Permit Number:** 2024-356 **Date:** 10/02/2024  
**Map:** 000409 **Lot:** 000228 **Sub Lot:** 000003

Permit issued to: MARTINEAU, KATHLEEN & SONDR  
at: 168 PATTEN HILL RD

Owner Address: 168 PATTEN HILL ROAD CANDIA, NH 03034 | Phone:  
Applicant: MACLEOD CONSRTRUCTION LLC | Phone:  
Contractor: MACLEOD CONSRTRUCTION LLC | Phone: | License #:  
Permit Fee: \$520.00 | Estimated Cost: \$0

**NOTE: BASEMENT ADU FOR 602 SQUARE FEET**

- THE ISSUANCE OF THIS PERMIT DOES NOT RELEASE THE APPLICANT FROM THE CONDITIONS OF ANY APPL|CABLE SUBDIVISION OR SITE PLAN RESTRICTIONS.
- SANITARY FACILITIES MUST BE PROVIDED ON SITE FOR WORKERS.
- NO PORTION OF THIS BUILDING SHALL BE OCCUPIED OR USED UNTIL FINAL INSPECTION HAS BEEN MADE AND A CERTIFICATE OF OCCUPANCY ISSUED.
- SEPERATE PERMITS ARE REQUIRED FOR MECHANICAL, ELECTRICAL AND PLUMBINIG. (EACH COST INCLUDED IN TOTAL ONLY FOR NEW HOMES.)
- WORK MUST BE STARTED WITHIN 6 MONTHS AND COMPLETED WITHIN 12 MONTHS FROM THE DATE THE PERMIT IS ISSUED.
- ANY WINDOW WITHIN 2 FT. OF AN EXTERIOR DOOR OR 5FT FROM TUB OR SHOWER. MUST TO BE SAFETY GLASS.
- ANY WINDOW SILL LOCATED MORE THAN 72" ABOVE THE FINISHED GRADE OUTSIDE MUST BE MORE THAN 24" ABOVE THE FINISHED FLOOR INSIDE.
- ANY WINDOW OR OUTSIDE DOOR OPENING SPAN GREATER THAN T-6" REQUIRES DOUBLE JACK STUDS.
- NO WORK MAY BE COVERED OR CONCEALED UNTIL AN INSPECTION HAS BEEN PERFORMED AND PASSED.
- SMOKE/CARBON MONOXIDE DETECTORS ARE REQUIRED PER ICC AND STATE REQUIREMENTS.
- PAL| BASEMENTS AND EVERY SLEEPING ROOM SHALL HAVE AT LEAST ONE OPENABLE EMERGENCY ESCAPE AND RESCUE WINDOW OR EXTERIOR DOOR OPENING FOR EMERGENCY ESCAPE AND RESCUE PER SECTION R310.1 OF THE IRC 2018.
- REQ, STATE APPROVED SEPTIC SYSTEM. DESINED FOR TOTAL BEDROOMS LISTED.

**Signed:**  **Telephone:** (603) 483-1015  
Building Inspector

**NOTE: THIS PERMIT EXPIRES OCTOBER 02, 2025.**