TOWN OF CANDIA

DECK PERMIT

The Permit Card Shall be Posted and Visible From the Street During Construction

Permit Number:		2024-357		Date:	10/02/2024
Map:	000408	Lot:	000032	Sub Lot:	000001
Permit issue	ed to: COBB FAMIL	REVOCABLE	TRUST		
at: 472 RAY	MOND RD				
Owner Addr	ess: PO BOX 414 C	ANDIA, NH 0303	4 Phone:		
Applicant: D	EBRA COBB Phone	:			
Contractor:	DEBRA COBB Phor	ne:	License #:		
Permit Fee:	\$110.00 Estimated	Cost: \$0			
NOTE: BUIL	DA8X16 DECK OF	F THE HOUSE			

Deck:

- Dug holes for depth determination (frost depth is considered 48"). The closest property line should be clearly marked for setback determinations.

- Attachment to the building by lag bolts not less than 24" on center spacing.

- Guard rails not less than 36" high with no openings greater than 4". If deck is 30" off ground.

- Stairs with a maximum rise of 7 3/4" & a minimum tread depth of 10" & no openings greater than 4".

- A handrail is required on any flight of stairs with four or more risers.

Signed: 1hnt 1 **Building Inspector**

Telephone: (60

(603) 483-1015

NOTE: THIS PERMIT EXPIRES OCTOBER 02, 2025.

2