



TOWN OF CANDIA

DECK PERMIT

The Permit Card Shall be Posted and Visible From the Street During Construction

Permit Number: 2024-370 Date: 10/10/2024
Map: 000409 Lot: 000042 Sub Lot: 000000

Permit issued to: HOBBS, BETHANY & JAMES E.

at: 195 MAIN ST

Owner Address: 195 MAIN STREET CANDIA, NH 03034 | Phone:

Applicant: BETHANY HOBBS | Phone:

Contractor: BETHANY HOBBS | Phone: | License #:

Permit Fee: \$110.00 | Estimated Cost: \$0

NOTE: BUILD A 6X6 PORCH TO REPACE EXISTING

Deck:

- Dug holes for depth determination (frost depth is considered 48"). The closest property line should be clearly marked for setback determinations.
- Attachment to the building by lag bolts not less than 24" on center spacing.
- Guard rails not less than 36" high with no openings greater than 4". If deck is 30" off ground.
- Stairs with a maximum rise of 7 3/4" & a minimum tread depth of 10" & no openings greater than 4".
- A handrail is required on any flight of stairs with four or more risers.

Signed:

Building Inspector

Telephone:

(603) 483-1015

NOTE: THIS PERMIT EXPIRES OCTOBER 10, 2025.