

TOWN OF CANDIA

GAS PERMIT

The Permit Card Shall be Posted and Visible From the Street During Construction

Permit Number: 2024-432 Date: 11/12/2024
Map: 000413 Lot: 000118 Sub Lot: 000000

Permit issued to: TREMBLAY, MICHAEL
at: 132 BROWN RD

Owner Address: 132 BROWN ROAD CANDIA, NH 03034 | Phone:

Applicant: KEARNEY HVAC INC | Phone:

Contractor: KEARNEY HVAC INC | Phone: | License #:

Permit Fee: \$110.00 | Estimated Cost: \$0

NOTE: INSTALL PROPANE GAS HEATING IN PLACE OF OIL HEATER

General:


- Refer to Candia Vol Fire Dept Gas appliance check list for installation requirements.
- Final inspections required when 100% complete and operational.
- Gas piping Per NFPA 54&58.
- Venting and combustion air Per Manufacture specs.

Electrical:

- All related 120V& 24 wiring per NFPA, 70. 2017.

Mechanical:

- All FHA duct work to conform to 2015 IMC.
- Insulation: R-6 Basement. R-8 Attic's and crawl spaces.
- Kitchens with exhaust fans over 400CFM require make up air.

Signed:  Telephone: (603) 483-1015
Building Inspector